



**COURT DESIGNED AND CREATED FOR
A1 PADEL & PREMIER PADEL.**

Technical Datasheet

DESIGNED FOR TV

Panoramic Central Court

SPECIAL FOR COMPETITIONS

PORTABLE VERSION (OPTIONAL)

GREAT AESTHETICS AND GAME VISIBILITY

**Complies 100% With
Normative of the
International Padel
Federation.**



*Central Court Major Premier Padel-
International Professional Circuit*



A1 PADEL- International Professional Circuit



 **MANZA**
sport
Tu pista de pádel



**Major Premier Padel
(Monterrey, México)**
All courts supplied by ManzaSport



ADVANCE BLUE


COLLECTION 2022
COLECCIÓN 2022

COLOURS
COLORES

1



TOTAL HEIGHT
ALTURATOTAL



SECTION
SECCIÓN



TECHNICAL CHARACTERISTICS / CACTERÍSTICASTÉCNICAS

In order to constantly improve the quality of our products, Turfgrass@reserves the right to modify any of the technical characteristic



YARN / FIBRA

TYPE TIPO	MONOFILAMENT MONOFILAMENTOS
COMPOSITION COMPOSICIÓN	100% PE
DTex.	8.400 DTex (±5%)
WEIGHT PESO	1.320 gr/m ² (±10%)

TUFTING

GUAGE " " " " " "	3/16 " " " " " "
PILE HEIGHT ALTURA HILO	13 mm (±5%)
STITCHES 1m PUNTADAS ml	210 1m (±10%)
STITCHES m ² PUNTADAS m ²	44.100 m ² (±10%)

PRIMARYBACKING / SOPORTE PRIMARIO

TYPE TIPO	REINFORCED BACKINGWITH FLEECE TEIDO REFORZADO CON FLEECE
COMPOSITION COMPOSICIÓN	POLYPROPYLENE POLIPROPILENO

FINISHING / ACABADO

COMPOSITION COMPOSICIÓN	POLYURETHANE POLIURETANO
TYPE TIPO	SCRAPER APPLICATION APLICACIÓN RASQUETA

WARRANTY / GARANTÍA

WARRANTY GARANTÍA	1000 KLY
----------------------	----------

FINAL PRODUCT / PRODUCTO FINAL

TOTAL WEIGHT PESO TOTAL	2.185 gr/ m ² (±10%)
----------------------------	---------------------------------

REMARKS / OBSERVACIONES

Infill rounded (non-angular), sieved, washed and dried silica sand. The use of any other type of infill material will invalidate the Turfgrass warranty. Maintenance necessary to keep its good original appearance.

relleno de arena de sílice redondeada, lavada y seca. El uso de otro tipo de rellenos anula la garantía Turfgrass. Mantenimiento necesario para mantener la apariencia original.

4) PADEL COURT MODEL PANORAMIC CENTRAL COURT

Technical specifications:

Court structure	Welded Mesh	
<ul style="list-style-type: none"> The main frame is made by a special platen which holds the panoramic sides. Side mesh frames with tube dimensions 40x40x2 mm and reinforced by pillar 80x80x2 mm when each has anchor plates with dimensions 250x200x10 mm, each with 4x \varnothing16 mm with reinforcement gusset plate with rectangular-triangular shape. Each frame/pillar connection creates structure with dimensions 120x80 mm. Pillars with dimensions 80x80x3 mm on the sides in the mesh section of the court with anchor plate dimensions 250x200x10 mm with 4 x \varnothing16 mm holes for the bolts. Colour: to be selected from RAL scale. 	<ul style="list-style-type: none"> Electro-welded mesh with measures 50x50x4 mm and with double reinforcement tube 40x40x2 mm at height 1 and 2 meters to provide higher resistance. Between each frame there is a protective system to prevent any injuries. 	
Glass	Surface	Lighting
<ul style="list-style-type: none"> 18 modules of tempered glass with thickness 12 mm with flat polished edges and countersunk holes, 18 modules with dimension 1995x2995mm (12 holes). All modules are perfectly aligned and the flatness is optimal. All accessories for installation included. The glass complies with the UNE-EN 12150-2:2005 (Glass for buildings and constructions) and UNE-EN 12543-2:2011 	<ul style="list-style-type: none"> Synthetic grass model texturized: <ul style="list-style-type: none"> Composition: 100% Polyethylene Yarn height: 11 mm Stitches m²: 67.200 Yarn Dtex: 6.750 Dtex Colour: Green Infill: Silica sand 0.2-0.8 mm (1.670 kg) 	<ul style="list-style-type: none"> 4 lighting columns with dimensions 80x80x3 mm, attached to the structure. Set of 8x 200W LED floodlights including cable till the bottom of the columns (electrical installation and connection not included)

